THE SOUTHWESTERN NATURALIST 44(4):561–575 DECEMBER 1999

INDEX TO VOLUME 44

Troy L. Best

Department of Biological Sciences and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abert squirrel (*Sciurus aberti*) as a soil excavator, Sylvester Allred and William S. Gaud, 88–89
Abies
  concolor, 122
  lasiocarpa, 444–456
  religiosa, 405
Abundance and habitat associations of elf owls and western screech-owls in the Sonoran Desert, Paul C. Hardy, Michael L. Morrison, and Robert X. Barry, 311–323
Acacia, 58, 343, 345
  angustissima, 458
  berlandieri, 535
  farnesiana, 112
  greggii, 312
  minuta, 536
  rigidula, 535
Acanthopelma annae, 519, 520
Acentrella, 24
  turbida, 23
Acer, 341
  grandidentatum, 342
  negundo, 226, 428, 429, 431
  nigrum, 427
  rubrum, 242
  saccharinum, 429
  saccharum, 427
Achiridae, 169
Adams, Rick A., and Katherine M. Thibault, Records of the Brazilian free-tailed bat, *Tadarida brasiliensis* (Chiroptera: Molossidae), in Colorado, 542–543
Adelpha bredowii, 378
Aeolosoma, 516
Agalis milberti, 376–378
Agavaceae, 507
Agave
  lechuguilla, 491
  schottii, 142
Agelaius phoeniceus, 486
Agkistrodon
  bilineatus, 478–483
  piscivorus, 532
Agropyron smithii, 425, 435
Agrostis, 1
Aguila chrysaetos, 486
Aguilar Zúñiga, Claudia, see Morrone, Juan J., —
Aguilegia, 341
Aguilera, C., R. Mendoza, J. Montemayor, and G. Hernandez, Eggs, larvae, and early juveniles of *Etheostoma grahami* (Teleostei: Percidae), 214–218
Aimophila cassinii, 486
Akodon
  budini, 329
  fumeus, 328, 329
Alaniz, Mario A., see Lonard, Robert I., —
Albiorix
  anophthalmus, 138–147
  bolivari, 138
  edentatus, 141
  magnus, 140
  mexicanus, 141
  mirabilis, 138
  parvidentatus, 141
  reddelli, 138
  retrodentatus, 141
Alcaraz, Guillermina, Gerardo Pérez-Ponce de León, Luis Garcia P., Virginia León-Règagnon, and Cecilia Vanegas, Respiratory responses of grass carp, *Ctenopharyngodon idella* (Cyprinidae) to parasitic infection by *Centrocestus formosanus* (Digenea), 222–226
Alloglossidium corti, 523, 525
Allozymic variation and biogeography of snapping shrimp (*Alpheus*) from the Gulf of Mexico and northwestern Atlantic coasts, Matthew R. McClure and Ira F. Greenbaum, 462–469
Allred, Sylvester, and William S. Gaud, Abert squirrel (*Sciurus aberti*) as a soil excavator, 88–89
Alnus, 149
  oblongifolia, 226
Alopex lagopus, 85, 372
Aloysia gratissima, 535
Alpheus, 462–469
  angulatus, 462–468
  estuariensis, 462, 463
  heterochaelis, 462–468
Amalanchier utahensis, 502
Amaryllis, 90, 92
Ambrosia
  artemisiifolia, 407
  deltoidea, 544
  dumosa, 312
  grayi, 437–439
  psilostachya, 435
Ambrysus, 25
Ameiurus melas, 392–394
Ameiva undulata, 480
Ammerman, Loren K., see Higginbotham, Jana L., —
Ammodramus savannarum, 486, 487
Amorpha
  canescens, 433, 434
  fruticosa, 430, 439
Anachardiaceae, 508
Anchoa parva, 168
Anderson, David L., see McCarthy, Timothy J., —
Andinomys edax, 329
Andropogon, 7
  gerardii, 429–436
  hallii, 431, 432, 434
  scoparius, 407, 425
  ternarius, 435
Anemopsis californica, 279, 281
Anguilla rostrata, 168, 170, 171
Anguillidae, 168
Annelidae, 514–518
Annonaceae, 507
Anolis, 69

limifrons, 68
Anostraca, 212–213
Anoura geoffroyi, 113, 114
Ant communities in flooded and unflooded riparian forest of the middle Rio Grande, Elizabeth Remington Milford, 278–286
Antilocapra americana, 98
Antocha, 24
Antrozous pallidus, 345, 398, 405, 495, 496, 501–506
Aotus azarai, 328
Aphaenogaster, 459
Aphanostephus ramossissimus, 11, 12, 14
Aphonopelma crinitum, 518
Aplocheilidae, 168
Apocynaceae, 507
Apocynum cannabinum, 279
Apterostygma pilosum, 458, 459
Aquatic lepidopteran (*Parapoynx obscuralis*, Pyralidae) on cultured Texas wildrice (*Zizania texana*, Poaceae), occurrence of an, Joe N. Fries and Paula Power, 213–214
Aquatic oligochaeta (Annelida: Clitellata) of Montezuma Well, Arizona: a near thermally constant limnocrene, the, Mark J. Wetzel, Gaye E. Oberlin, and Dean W. Blinn, 514–518
Arbutus arizonica, 337
Archocentrus
octofasciatus, 168, 169, 171
spilurus, 168, 170
Arctopithecus castaneiceps, 410
Arecaceae, 507
Argia, 25
Argopecten irridians, 468
Aristida, 1, 7
dichotoma, 441
purpurea, 437
Armstrong, Fred, see Harveson, Louis A., —
Artemesia californica, 406
Artemisia, 12
dracunculus, 436
filifolia, 431
frigida, 101
Artibeus
hirsutus, 113
jamaicensis, 233
planirostris, 326, 327
Artimesia tridentata, 240
Arundo donax, 535, 537
Asclepias
arenaria, 431
exaltata, 249–251, 254
incarnata, 439
perennis, 250, 251
pumila, 436
ruthiae, 247–255
sanjuanensis, 247–255
syriaca, 254
texana, 250, 251
tuberosa, 253
Ashe juniper (*Juniperus ashei*: Cupressaceae) canopy and litter effects on understory vegetation in a juniper-oak savanna, Lisa Y. Yager and Fred E. Smeins, 6–16
Asimina triloba, 427
Asio otus, 316
Associations between desert mule deer and collared peccaries, Paul R. Krausman, Josh T. Avey, and John C. Tull, 543–544
Aster
ericoides, 433, 436
lanceolatus, 439
simplex, 429
subulatus, 437–439
Asteraceae, 272–277, 507
Astragalus crassicarpus, 435
Astyanax
aeneus, 168, 170
altior, 171
Athene cunicularia, 485, 486
Atherinella, 168, 170
Atherinidae, 168
Atherinomorus stipes, 168
Atherinopsidae, 168
Atriplex, 12
canescens, 101, 194, 195, 432
patula, 349
polycarpa, 368
semibaccata, 349
spinifera, 368
Atta mexicana, 459
Attelabidae, 508
Avena, 1
Avey, Josh T., see Krausman, Paul R., —
Avicennia germinans, 267
Ayers, Andrew D., see McKinney, Ted, —

B. sowerbyi, 516
Baccharis, 458
pilularis, 349
salicifolia, 226
Baccus, John T., and John C. Posey, Melanism in white-tailed deer in central Texas, 184–192
Bacopa
monnieri, 266, 267
rotundifolia, 443
Baetidae, 24
Baetis, 24
magnus, 23
tricaudatis, 23
Baker, Dan L., see Peles, John D., —
Balantiopteryx plicata, 113, 114
Ballinger, Royce E., see Lemos-Espinal, Julio A., —
Baptisia lactea, 439
Barbault, Robert, see Ortega-Rubio, Alfredo, —
Barko, Valerie A., James H. Shaw, and David M. Leslie, Jr., Birds associated with black-tailed prairie dog colonies in southern shortgrass prairie, 484–489
Barquez, Rubén M., see Díaz, M. Mónica, and —
Barry, Robert X., see Hardy, Paul C., —
Bartramia longicauda, 486
Basilarchia weidemeyerii, 376–378
Baskin, Carol C., Jerry M. Baskin, and O. W. Van Auken, Dormancy-breaking and germination requirements in seeds of the summer annual *Palafoxia callosa* (Asteraceae) from central Texas, 272–277
Baskin, Jerry M., see Baskin, Carol C., —
Bassariscus astutus, 144
Bathygobius soporator, 169
Batrachoididae, 168
Bats captured in two ponderosa pine habitats in north-central Arizona, Thomas E. Morrell, Michael J. Rabe, James C. deVos, Jr., Heather Green, and C. Richard Miller, 501–506
Bats during a total solar eclipse in Mexico, observations of, Oscar Sánchez, Jorge A. Vargas, and William López-Forment, 112–115
Bats from the middle Rio Grande Valley, New Mexico, additional records of, Ernest W. Valdez, James N. Stuart, and Michael A. Bogan, 398–400
Belk, Denton, see Stern, Sharon Maynard, and —
Belonesox belizanus, 168
Belonidae, 168
Berberis
repens, 502
trifoliolata, 11
Bias, Michael A., and Michael L. Morrison, Movements and home range of salt marsh harvest mice, 348–353
Bidens, 429
Birds associated with black-tailed prairie dog colonies in southern shortgrass prairie, Valerie A. Barko, James H. Shaw, and David M. Leslie, Jr., 484–489
Birkenfeld, Gregory F., see Stangl, Frederick B., Jr., —
Bison bison, 133
Bison performance and productivity on tallgrass prairie, E. Gene Towne, 361–366
Black, Charles, see Johnson, Kristine, —
Blacklock, Gene W., see Woodin, Marc C., —
Blarina hylophaga, 407–409
Blastocerus dichotomus, 331

Blinn, Dean W., see Oberlin, Gaye E., —
Blinn, Dean W., see Wetzel, Mark J., —
Bogan, Michael A., see Valdez, Ernest W., —
Bolboschoenus maritimus, 440
Bombacaceae, 508
Bos bison, 361–366
Bothriochloa, 7
Bothrops
asper, 481, 482
moojeni, 481
Bouteloua, 9–11, 13, 14
curtipendula, 1, 6–8, 11, 12, 401, 431–436, 438, 442
gracilis, 101, 122, 195, 379, 382, 401, 431, 432, 435–437, 442, 487
hirsuta, 401, 432, 435, 436
trifida, 7
Brachycentridae, 24
Brachymyrmex depilis, 281
Brachypelma vagans, 519, 520
Bradley, Robert D., see Peppers, John A., —
Bradypus variegatus, 410–414
Brahea dulcis, 458
Branchinecta paludosa, 212–213
Brandenburg, W. Howard, and Keith B. Gido, Predation by nonnative fish on native fishes in the San Juan River, New Mexico and Utah, 392–394
Brattstrom, Bayard H., Trail marking by coyotes, *Canis latrans*, 405–406
Brazilian free-tailed bat, *Tadarida brasiliensis* (Chiroptera: Molossidae), in Colorado, records of the, Rick A. Adams and Katherine M. Thibault, 542–543
Brechmorhoga, 25
Bromus, 1
inermis, 422
madritensis, 368
Brosimum alicastrum, 202
Bubo virginianus, 313
Buchloe dactyloides, 101, 435–437, 442, 487
Bumelia lanuginosa, 407
Buprestidae, 508
Bursera, 58, 112
Burseraceae, 508
Buteo
jamaicensis, 319
regalis, 485, 486
swainsoni, 486
Bythitidae, 168

Cactaceae, 507
Calamagrostis canadensis, 439
Calamospiza melanocorus, 486
Calamovilfa
gigantea, 431, 434
longifolia, 434
California kangaroo rat, *Dipodomys californicus* (Rodentia: Heteromyidae), from Nevada, first record of the, Frederick B. Stangl, Jr., Gregory F. Birkenfeld, and Steven M. Shoen, 240–241
Callipepla
gambelii, 85
squamata, 486
Callirhoe involucrata, 436
Callophrys
apama, 375
sheridanii, 375
Calparyphus, 24
Calylophus serrulatus, 435
Camallanus oxycephalus, 523, 524
Camassia scilloides, 436
Camponotus
abdominalis, 458, 459
pennsylvanicus, 281
vicinus, 281
Canidae, 85
Canis
latrans, 97, 181, 202, 358, 367, 405–406
lupus, 85
Caprimulgidae, 508
Capsicum annuum, 90, 92
Carabidae, 508
Carex, 429, 430, 432, 436, 439
filifolia, 436
grayi, 428
hyalinolepis, 440
lanuginosa, 440, 441
nebrascensis, 440, 441
Carnegiea gigantea, 142, 311, 312
Carrasius auratus, 160
Carya
cordiformis, 427–429
illinoinensis, 428, 429
laciniosa, 429
ovata, 427
texana, 428
Casuarina, 113
Catagonus wagneri, 330
Cathartes aura, 486
Catostomus
commersoni, 148
discobolus, 384, 388, 391, 393
latipinnis, 384, 388, 391, 393
occidentalis, 297
plebeius, 42–48, 148–156
Cavazos, Isabel, III, see Lonard, Robert I., —
Ceanothus fendleri, 502
Ceballos, Gerardo, see List, Rurik, —
Cecropia, 411
Ceiba, 112
Celastrina argiolus, 377, 378
Celtis
laevigata, 428, 535, 538
occidentalis, 407, 427, 428, 436
pallida, 536
reticulata, 11
tenuifolia, 430
Centrocestus formosanus, 222–226
Centropomidae, 168
Centropomus undecimalis, 168
Cepaea nemoralis, 90, 91
Cephalanthus occidentalis, 432
Cerambycidae, 508
Ceratophyllum demersum, 443
Ceratopogonidae, 155
Cercidium, 312
microphyllum, 142, 314, 354, 543
Cercis canadensis, 407, 427, 430
Cercocarpus
breviflorus, 491
montanus, 382
Cercyonis oetus, 376–378
Cerrophidion godmani, 481
Certhiidae, 508
Cervus elaphus, 133, 358
Ceuthophilus, 143
pinalensis, 142
Chaetodipus
hispidus, 101
penicillatus, 193–196
Chaetogaster diaphanus, 515, 516
Chaetopappa asteroides, 442
Chamaecrista fasciculata, 265–267
Characidae, 168
Charadrius
montanus, 485, 486
vociferus, 486
Charidryas nycteis, 377, 378
Chasmanthium latifolium, 429
Chenopodium berlandieri, 439
Cheumatopsyche, 24
arizonensis, 23
Chilopsis linearis, 343, 345
Chimarra, 24
Chironomidae, 155
Chiroptera, 343–347, 404–405, 542–543
Choloepus hoffmanni, 410–414
Chondestes grammacus, 486, 487
Chordeiles
acutipennis, 313
minor, 486
Chriodorus atherinoides, 168
Chrotopterus auritus, 327
Chrysomelidae, 508
Chrysothamnus nauseosus, 431
Cichilidae, 170
Cichlasoma
robertsoni, 168
salvini, 168
synspilum, 168
urophthalmus, 168, 170, 224
Cichlidae, 168
Cicuta maculata, 436
Circus cyaneus, 486
Cirsium, 349
arvense, 382
Cladophora glomerata, 208
Classification of the Mexican biogeographic provinces: a parsimony analysis of endemicity based on

plant, insect, and bird taxa, preliminary, Juan J. Morrone, David Espinosa Organista, Claudia Aguilar Zúñiga, and Jorge Llorente Bousquets, 507–514
Classification of the natural vegetation of Kansas, a, Chris L. Lauver, Kelly Kindscher, Don Faber-Langendoen, and Rick Schneider, 421–443
Clematis fremontii, 433
Cleridae, 508
Cliff swallow (*Petrochelidon pyrrhonata*) nests in West Texas by cave myotis (*Myotis velifer*), utilization of, Christopher M. Ritzi, 414–415
Clinocera, 24
Clitellata, 514–518
Clupeidae, 168
Coccyzus americanus, 538–539
Coenagrionidae, 25
Coleoptera, 379–382
Colias eurytheme, 376–378
Columba livia, 486
Combretaceae, 508
Conepatus chinga, 328
Confirmation of *Branchinecta paludosa* (Crustacea, Anostraca) in Utah, Sharon Maynard Stern and Denton Belk, 212–213
Conomyrma insana, 281
Consumption of three garden plants in West Texas by *Helix aspersa*, Mary Roberson and Daryl L. Moorhead, 90–93
Coonan, Timothy J., see Garcelon, David K., —
Coreopsis
grandiflora, 435
tinctoria, 440
Cornus florida, 427
Corvidae, 508
Corvus
brachyrhynchos, 486
cryptoleucus, 486
Corydalidae, 24
Corydalus, 24
Corynorhinus townsendii, 399, 495, 497, 502–504, 506
Cottus gulosus, 297
Cracidae, 508
Crassicrus lamanai, 519, 520
Cratogeomys
gymnurus, 178, 179
merriami, 178, 179
tylorhinus, 178, 179
Crematogaster, 459
mormonum, 278, 280–284
Crictus cricetus, 189
Crocodylus
acutus, 395, 397
moreletii, 395–398
Croptilon rigidifolium, 266
Crotalus
durissus, 481
viridis, 481
Croton
punctatus, 267
willdenowii, 441
Crustacea, 212–213
Cruz D., Gustavo A., see McCarthy, Timothy J., —
Ctenopharyngodon idella, 222–226
Ctenosaura similis, 480
Cuculidae, 508
Cummings, Connie A., 420
Cupressaceae, 6–16
Cupressus arizonica, 341
Curculionidae, 508
Cuscuta salina, 349
Cynomops planirostris, 327
Cynomys ludovicianus, 401, 484–489
Cyperus schweinitzii, 431, 432
Cyphomyrmex, 459
Cyprinella
bocagrande, 50
formosa, 49–52, 54, 55
galactura, 49–52
garmani, 50
lepida, 49–52, 54, 55
lutrensis, 49–56, 287–295, 390, 392–394
panarcys, 50, 54
proserpina, 49–52, 54
rutila, 54
spiloptera, 50
venusta, 49–52
whipplei, 49–51
xanthicara, 54
Cyprinidae, 49–56, 222–226, 393
Cyprinodon, 171
artifrons, 168
rubrofluviatilis, 287–295
tularosa, 157–165
variegatus, 294
Cyprinodontidae, 168
Cyprinus carpio, 385, 392–394
Cypseloides rutilus, 114
Cyrtopholis portoricae, 518

Dactylis glomerata, 90, 91
Dalea
candida, 433, 434
enneandra, 435
purpurea, 433, 434
Dama dama, 184
Danthonia spicata, 427
Dasylirion wheeleri, 142
Dasypterus ega, 327
Dasypus novemcinctus, 325, 331
Datura wrightii, 87, 88
Daucus carota, 12
Davis, M. R., see Lonard, Robert I., —
Decomposition and nitrogen release from foliage of cottonwood (*Populus deltoides*) and Russian-olive (*Elaeagnus angustifolia*) in a riparian ecosystem, Stacey B. Simons and T. R. Seastedt, 256–260
Demarais, Stephen, see Root, J. Jeffrey, —
Demographic responses of kit foxes to supplemental feeding, Gregory D. Warrick, Jerry H. Scrivner, and Thomas P. O'Farrell, 367–374
Dermanura azteca, 405
Deroceras reticulatum, 90, 91
Description of an eyeless, cavernicolous *Albiorix* (Pseudoscorpionida: Ideoroncidae) in Arizona, with observations on its biology and ecology, William B. Muchmore and Robert B. Pape, 138–147
Desmanthus illinoensis, 434, 436
Desmodus rotundus, 113, 114, 233, 327
deVos, James C., Jr., see Morrell, Thomas E., —
Díaz, M. Mónica, and Rubén M. Barquez, Contributions to the knowledge of the mammals of Jujuy Province, Argentina, 324–333
Digenea, 222–226
Digitaria arenicola, 267
Dioon endule, 458
Diospyros texana, 7
Dipodomys, 194
californicus, 240–241
merriami, 195, 196
ordii, 101, 193, 195–197
Distichlis spicata, 436–438
Distribution, abundance, and habitat use of Rio Grande sucker (*Catostomus plebeius*) in Hot Creek, Colorado, Susan M. Swift-Miller, Brett M. Johnson, Robert T. Muth, and David Langlois, 42–48
Distribution of continental fishes in northern Quintana Roo, Mexico, Juan J. Schmitter-Soto, 166–172
Dixon, Michael T., see Higginbotham, Jana L., —
Dolichotis salinicola, 330
Dormancy-breaking and germination requirements in seeds of the summer annual *Palafoxia callosa* (Asteraceae) from central Texas, Carol C. Baskin, Jerry M. Baskin, and O. W. Van Auken, 272–277
Dormitator maculatus, 169
Dorosoma petenense, 168–170
Dorsoma petenense, 388
Dosilia radiospiculata, 211–212
Dryophthoridae, 508
Dryopidae, 24
Dudley, Robert K., and William J. Matter, Effects of a record flood on fishes of Sabino Creek, Arizona, 218–221
Dyer, James M., and K. Evan Moffett, Meadow invasion from high-eleva-

tion spruce-fir forest in south-central New Mexico, 444–456
Dynamics of species richness and abundance in a montane community of butterflies in southern New Mexico, Stephen B. Hager and Angela D. Stafford, 375–378
Dytiscidae, 24, 508

Ebersole, James J., see Terranella, Anthony C., —
Echelle, Anthony A., see Williams, Lance R., —
Echinacea angustifolia, 442
Echinochasmus zubedekhaname, 224
Echinochloa, 438
Eciton mexicanum, 459
Ectatomma tuberculatum, 459
Eggs, larvae, and early juveniles of *Etheostoma grahami* (Teleostei: Percidae), C. Aguilera, R. Mendoza, J. Montemayor, and G. Hernandez, 214–218
Elaeagnus angustifolia, 226, 256–260, 278, 279
Eleocharis, 432, 439–441
atropurpurea, 439
compressa, 438
macrostachya, 437, 438, 443
obtusa, 267
Eleodes
extricata, 379, 380
obscura, 379, 380
obsoleta, 379, 380
Eleotridae, 169
Eleotris pisonis, 169
Eligmodontia
hirtipes, 329, 330
puerulus, 330
typus, 330
Elmidae, 24, 508
Elodea, 213, 443
Elymus virginicus, 430
Emberizidae, 535–538
Empididae, 24
Empidonax traillii, 226–231
Encelia farinosa, 354
Enchytraeidae, 515, 516
Engraulidae, 168
Epargyreus clarus, 377, 378
Epeorus, 24
Ephedra torreyana, 195
Ephydatia muelleri, 211–212
Eptesicus
diminutus, 327, 328
furinalis, 326, 327
fuscus, 414, 495, 497, 501–504, 506
Equisetum, 342
hyemale, 441
Eragrostis, 1
secundiflora, 266, 431
Eremophila alpestris, 486
Erethizon dorsatum, 400–404
Ericaceae, 507
Eriochloa sericea, 7
Eriogonum
annuum, 431, 432
effusum, 101, 436
Erioneuron pilosum, 7
Erodium cicutarium, 368
Erpetogomphus, 25
Erynnis telemachus, 376–378
Erysimum capitatum, 375
Erythrina flabelliformis, 142
Escobar, David E., see Lonard, Robert I., —
Esenbechia runyonii, 458
Espinosa Organista, David, see Morrone, Juan J., —
Estimating burrow volume and excavation rate of pocket gophers (Geomyidae), K. Shawn Smallwood and Michael L. Morrison, 173–183
Etchberger, Richard C., and Paul R. Krausman, Frequency of birth and lambing sites of a small population of mountain sheep, 354–360
Etheostoma
collettei, 106
grahami, 214–218
lepidum, 217
lugoi, 217
segrex, 217
Eucinostomus
argenteus, 168
gula, 168
harengulus, 168
jonesi, 168
melanopterus, 168
Eumops
glaucinus, 326
patagonicus, 326, 327
perotis, 345
Euonymus atropurpureus, 427
Euparyphus, 24
Eupatorium maculatum, 441
Euphorbia cordifolia, 267
Euphydryas anicia, 375, 377
Euptoieta claudia, 378
Eurema
mexicanum, 378
nicippe, 378
Evax multicaulis, 11, 12, 14
Everes
amyntula, 378
comyntas, 378
Everitt, James H., see Lonard, Robert I., —
Evorthodus lyricus, 169
Extralimital population of *Lampetra appendix* (Petromyzontidae) in southwestern Arkansas, an, Renn Tumlison and Creed Tumlison, 106–108

Fabaceae, 507
Faber-Langendoen, Don, see Lauver, Chris L., —
Factors affecting the diet and abundance of northern populations of Rio Grande sucker (*Catostomus plebeius*), Susan M. Swift-Miller, Brett M. Johnson, and Robert T. Muth, 148–156
Falco
columbarius, 486
sparverius, 486
Farrar, Ronald W., see Haner, Thomas W., —
Felis
catus, 83
pardus, 190
Ferocactus wislizenii, 354, 356
Festuca, 1
thurberi, 445
Ffolliott, Peter F., see Touchan, Ramzi, and —
Ficus, 112, 202
continifolia, 58
petiolaris, 58
Fimbristylis castanea, 262, 266
Fiorillo, Riccardo A., R. Brent Thomas, Melvin L. Warren, Jr., and Christopher M. Taylor, Structure of the helminth assemblage of an endemic madtom catfish (*Noturus lachneri*), 522–526
Fisher, William L., see Williams, Lance R., —
Flood on fishes of Sabino Creek, Arizona, effects of a record, Robert K. Dudley and William J. Matter, 218–221
Flores-Maldonado, Karla Y., Sherman A. Phillips, Jr., and Gerardo Sánchez-Ramos, The myrmecofauna (Hymenoptera: Formicidae) along an altitudinal gradient in the Sierra Madre Oriental of northeastern Mexico, 457–461
Floridichthys polyommus, 168
Foeniculum vulgare, 349
Food provisioning by island foxes, *Urocyon littoralis*, to conspecifics caught in traps, David K. Garcelon, Gary W. Roemer, R. Brand Philips, and Timothy J. Coonan, 83–86
Forelius pruinosus, 281, 459
Formica
argentea, 281
neoclara, 281
pallidefulva, 278, 280–283
perpilosa, 281
Formicidae, 379–382, 457–461
Fouquieriaceae, 508
Fowler, Norma L., see Russell, F. Leland, and —
Frageria bracteata, 375
Fraxinus, 342

americana, 427
berlandieriana, 536
pennsylvanica, 428, 429, 431
texana, 33
Frequency of birth and lambing sites of a small population of mountain sheep, Richard C. Etchberger and Paul R. Krausman, 354–360
Freshwater sponges (*Dosilia radiospiculata and Ephydatia muelleri*) in Arizona, occurrence of two species of, Patricia A. Sowka, 211–212
Fries, Joe N., and Paula Power, Occurrence of an aquatic lepidopteran (*Parapoynx obsculralis*, Pyralidae) on cultured Texas wildrice (*Zizania texana*, Poaceae), 213–214
Fringed myotis, *Myotis thysanodes* (Chiroptera: Vespertilionidae), in Tamaulipas, Mexico, the, Arnulfo Moreno-Valdez, 404–405
Fringillidae, 508
Fuirena simplex, 262, 266, 268
Fundulidae, 168
Fundulus zebrinus, 288, 392–394

Gaillardia pulchella, 12
Galactia canescens, 265–267
Galium, 14
virgatum, 11, 12
Gambusia
affinis, 160, 218, 220, 288
yucatana, 168, 170
Gammarus
lacustris, 18, 20, 205, 206, 209
pulex, 208
Ganz, Lisa, see Terranella, Anthony C., —
Garcelon, David K., Gary W. Roemer, R. Brand Philips, and Timothy J. Coonan, Food provisioning by island foxes, *Urocyon littoralis*, to conspecifics caught in traps, 83–86
Garcia P., Luis, see Alcaraz, Guillermina, —
Garmanella pulchra, 168
Gaud, William S., see Allred, Sylvester, and —
Gelastocoridae, 25
Gelastocoris, 25
Genetic diversity in two rare milkweeds from the southwestern United States, James P. Therrien, 247–255
Genetic structure among populations of *Rana pipiens* in Arizona and Utah, re-analysis of, Mark P. Miller, Diana N. Kimberling, and Paul Keim, 527–530
Genetic variation in a recently isolated population of mule deer (*Odocoileus hemionus*), John D. Peles, Floyd W. Weathersbee, Jr., Paul E. Johns, Jane Griess, Dan L. Baker, and Michael H. Smith, 236–240
Geomyidae, 73–82, 173–183
Geomys
attwateri, 77, 177–181
breviceps, 77, 175, 177, 178, 180, 181
bursarius, 77, 175, 177–181
Gerreidae, 168
Gerres cinereus, 168
Gido, Keith B., Jacob F. Schaefer, Kirsten Work, Philip W. Lienesch, Edie Marsh-Matthews, and William J. Matthews, Effects of red shiner (*Cyprinella lutrensis*) on Red River pupfish (*Cyprinodon rubrofluviatilis*), 287–295
Gido, Keith B., see Brandenburg, W. Howard, and —
Gila
cypha, 384–388, 391
elegans, 384, 388
intermedia, 218, 220
pandora, 46, 152
robusta, 384, 388
Glaucidium brasilianum, 312
Glaucomys volans, 408
Glaucopsyche lygdamus, 375
Glossophaga, 233
commissarisi, 232, 234
leachii, 232, 234
Glycyrrhiza lepidota, 434
Gobiidae, 169
Gobiomorus dormitor, 169
Gold, John R., Richardson, Linda R., and —
Goldberg, Stephen R., and Andrew T. Holycross, Reproduction in the desert massasauga, *Sistrurus catenatus edwardsii*, in Arizona and Colorado, 531–535
Goldsmith, Steven, Howard McCarley 1926–1999, 545–546
Gomphidae, 25
Gonasida elata, 379, 380
Grant, Gerold C., and Paul E. Maslin, Movements and reproduction of hardhead and Sacramento squawfish in a small California stream, 296–310
Graomys domorum, 331
Green, Heather, see Morrell, Thomas E., —
Greenbaum, Ira F., see McClure, Matthew R., and —
Griess, Jane, see Peles, John D., —
Growth patterns and morphological features of juvenile *Helix aspersa* from West Texas, Mary Roberson and Daryl L. Moorhead, 93–96
Gutierrez, José Maria, see Solorzano, Alejandro, —
Gutierrezia
californica, 368
sarothrae, 101, 436, 437
Gymnocladus dioica, 427
Gyrinidae, 24
Gyrinus, 24

Habitat boundary on small mammals associated with the White Sands dune complex, effects of a, J. Jeffrey Root, Eric E. Jorgensen, and Stephen Demarais, 193–198
Haemulidae, 168
Haemulon flavolineatum, 168
Hager, Stephen B., and Angela D. Stafford, Dynamics of species richness and abundance in a montane community of butterflies in southern New Mexico, 375–378
Halffter, Gonzalo, see Ortega-Rubio, Alfredo, —
Haner, Thomas W., Ronald W. Farrar, and Gary D. Schnell, Range extensions of the woodland vole (*Microtus pinetorum*) and two other species in northwestern Oklahoma, 407–409
Haplotaxidae, 515, 516
Haplotaxis gordioides, 515, 516
Hardy, Paul C., Michael L. Morrison, and Robert X. Barry, Abundance and habitat associations of elf owls and western screech-owls in the Sonoran Desert, 311–323
Harkenclenus titus, 375
Harpia harpyja, 411
Harveson, Louis A., Bill Route, Fred Armstrong, Nova J. Silvy, and Michael E. Tewes, Trends in populations of mountain lion in Carlsbad Caverns and Guadalupe Mountains national parks, 490–494
Hedyotis nigricans, 266
Heimia salicifolia, 458
Helianthus
grosseserratus, 439
petiolaris, 431, 432, 434, 442
Helichus, 24
Helicopsyche, 24
Helicopsychidae, 24
Helix aspersa, 90–93, 93–96
Helminth assemblage of an endemic madtom catfish (*Noturus lachneri*), structure of the, Riccardo A. Fiorillo, R. Brent Thomas, Melvin L. Warren, Jr., and Christopher M. Taylor, 522–526
Hemerodromia, 24
Hemiargus isola, 378
Hemiramphidae, 168
Heptageniidae, 24
Hernandez, G., see Aguilera, C., —
Hesperiidae, 378
Hesperoleucus symmetricus, 297
Heterandria bimaculata, 168, 170
Heteranthera limosa, 443
Heteromyidae, 240–241
Heterotheca subaxillaris, 265–267, 269

Hickman, Graham C., see Woodin, Marc C., —
Higginbotham, Jana L., Loren K. Ammerman, and Michael T. Dixon, First record of *Lasiurus xanthinus* (Chiroptera: Vespertilionidae) in Texas, 343–347
Hilaria
belangeri, 7, 8, 11, 12, 14
mutica, 531
Hirundo rustica, 414, 486, 497, 541
Histiotus macrotus, 327
Historic aerial photography to study vegetation change in the Negrito Creek watershed, southwestern New Mexico, use of, Mark E. Miller, 121–137
Holycross, Andrew T., see Goldberg, Stephen R., and —
Hordeum jubatum, 437–439, 443
Host identified for *Rhynchophion flammipennis* (Hymenoptera: Ichneumonidae), Karen Kester and James Tuttle, 87–88
Howard McCarley 1926–1999, Steven Goldsmith, 545–546
Hydaticus, 24
Hydrophilidae, 508
Hydropsyche, 24
oslari, 23, 26, 27
Hydropsychidae, 24, 155
Hydroptila, 24
Hydroptilidae, 24
Hyla squirella, 481
Hymenoclea salsola, 368
Hymenoptera, 87–88, 379–382, 457–461
Hyparrhenia rufa, 479
Hypaurotis crysalus, 378
Hyphessobrycon compressus, 168, 170
Hypopachus variolosus, 480
Hypoponera opaciceps, 281
Hypsimys budini, 329

I[chthyomyzon]. gagei, 107
Icaricia acmon, 378
Ichneumonidae, 87–88
Ichthyomyzon castaneus, 106
Ictalurus punctatus, 386
Ictinia mississippiensis, 486
Ideoroncidae, 138–147
Idionycteris phyllotis, 496, 502–506
Imantodes
gemmistratus, 481
gracillimus, 481
Indigofera miniata, 267
Insectivora, 334–342
Ipomoea
arborea, 112
imperati, 265, 267–269
pes-caprae, 263, 264, 268
stolonifera, 268, 269
Isoetes butleri, 442
Isomeris arborea, 368
Isoperla, 24
Iva angustifolia, 266

Jaguars (*Panthera onca*) in the southwestern United States, the present status of, Alan R. Rabinowitz, 96–100
Jatropha cardiophylla, 142, 544
Johns, Paul E., see Peles, John D., —
Johnson, Brett M., see Swift-Miller, Susan M., —
Johnson, Kristine, Patricia Mehlhop, Charles Black, and Kim Score, Reproductive failure of endangered southwestern willow flycatchers on the Rio Grande, New Mexico, 226–231
Jorgensen, Eric E., see Root, J. Jeffrey, —
Judd, Frank W., see Lonard, Robert I., —
Juglandaceae, 507
Juglans, 341
major, 401, 403
nigra, 427, 428
Juncus, 439
Juniperus, 14, 129, 341, 398
ashei, 6–16, 12, 31–33, 190
deppeana, 1, 121, 122, 127, 133, 401, 502
monosperma, 7, 149
occidentalis, 133
osteosperma, 13, 502
pinchotii, 7, 491
virginiana, 7, 407, 436, 442

Karyotype of *Peromyscus stirtoni* (Rodentia: Muridae), the, John A. Peppers, James G. Owen, and Robert D. Bradley, 109–112
Keim, Paul, see Miller, Mark P., —
Kester, Karen, and James Tuttle, Host identified for *Rhynchophion flammipennis* (Hymenoptera: Ichneumonidae), 87–88
Kimberling, Diana N., see Miller, Mark P., —
Kindscher, Kelly, see Lauver, Chris L., —
Krascheninnikovia lanata, 442
Krausman, Paul R., Josh T. Avey, and John C. Tull, Associations between desert mule deer and collared peccaries, 543–544
Krausman, Paul R., see Etchberger, Richard C., and —

Labidus praedator, 458, 459
Lactuca serriola, 349
Lampetra
appendix, 106–108
tridentata, 297
Lance, Richard F., and David L. Rogowski, Noteworthy record of the silver-haired bat (*Lasionycteris noctivagans*) in Louisisana, 241–242
Langlois, David, see Swift-Miller, Susan M., —
Lanius ludovicianus, 486
Lapara coniferarum, 87
Larrea tridentata, 312, 354, 355, 491, 535
Lasionycteris noctivagans, 241–242, 399, 501–506
Lasiurus
blossevillii, 327, 346, 399
borealis, 113, 241, 346, 399, 405
cinereus, 325–327, 345, 346, 398, 405, 501–506
ega, 343–346
intermedius, 346
seminolus, 241
xanthinus, 343–347
Lasiurus xanthinus (Chiroptera: Vespertilionidae) in Texas, first record of, Jana L. Higginbotham, Loren K. Ammerman, and Michael T. Dixon, 343–347
Lasius
flavus, 281
pallitarsis, 278, 280–283
Lauver, Chris L., Kelly Kindscher, Don Faber-Langendoen, and Rick Schneider, A classification of the natural vegetation of Kansas, 421–443
Leersia, 432
oryzoides, 429
Leibfried, William C., see Valdez, Richard A., and —
Lemna minor, 440
Lemos-Espinal, Julio A., Geoffrey R. Smith, and Royce E. Ballinger, Reproduction in Gadow's spiny lizard, *Sceloporus gadovae* (Phrynosomatidae), from arid tropical Mexico, 57–63
León-Règagnon, Virginia, see Alcaraz, Guillermina, —
Leopardus pardallis, 202
Lepidostoma, 24
Lepidostomatidae, 24
Lepidum virginicum, 12
Lepomis
cyanellus, 218, 220, 298, 524
macrochirus, 222
Leptochloa, 9–11, 13
dubia, 6, 8
fascicularis, 438
Leptodactylus poecilochilus, 480
Leptogenys, 459
Leptonycteris curasoe, 233
Leptorhynchoides thecatus, 523, 524
Leptotes marina, 378
Leptothorax, 458, 459
andrei, 281
Lepus europaeus, 190
Leslie, David M., Jr., see Barko, Valerie A., —

Leucophyllum frutescens, 535
Leucotrichia, 24
Liatris, 433
punctata, 435, 442
pycnostachya, 435
Libellulidae, 25
Lienesch, Philip W., see Gido, Keith B., —
Limnodea arkansana, 11, 12, 14
Limnodrilus, 516
hoffmeisteri, 515, 516
profundicola, 515, 516
udekemianus, 515, 516
Limonia, 24
Lindera benzoin, 441
Linum, 12, 14
Liomys
irroratus, 481
pictus, 481
salvini, 111
salvinii, 480
Liquidambar styraciflua, 242
List, Rurik, Gerardo Ceballos, and Jesús Pacheco, Status of the North American porcupine (*Erethizon dorsatum*) in Mexico, 400–404
Llorente Bousquets, Jorge, see Morrone, Juan J., —
Lonard, Robert I., Frank W. Judd, James H. Everitt, David E. Escobar, Mario A. Alaniz, Isabel Cavazos, III, and M. R. Davis, Vegetative change on South Padre Island, Texas, over twenty years and evaluation of multispectral videography in determining vegetative cover and species identity, 261–271
López-Forment, William, see Sánchez, Oscar, —
López-Wilchis, Ricardo, see Sánchez-Hernández, Cornelio, —
Lophogobius cyprinoides, 169
Lucania parva, 168
Lumbriculidae, 515, 516
Lutjanidae, 168
Lutjanus
apodus, 168
griseus, 168
Lycaenidae, 378
Lycalopex
culpaeus, 328
griseus, 328
Lycium, 195
Lygodesmia juncea, 436
Lynx rufus, 97
Lysiloma tergemina, 58

Mabuya unimarginata, 480
Macroinvertebrate drift in the tailwater of a regulated river below Glen Canyon Dam, Arizona, Ted McKinney, Andrew D. Ayers, and Roland S. Rogers, 205–210
Macromischa, 458
Mammalia, 410–414
Mammals from Michoacán, México, noteworthy records of, Cornelio Sánchez-Hernández, María de Lourdes Romëro-Almaraz, Robert D. Owen, Arturo Núñez-Garduño, and Ricardo López-Wilchis, 231–235
Mammals of Jujuy Province, Argentina, contributions to the knowledge of the, M. Mónica Díaz and Rubén M. Barquez, 324–333
Mammillaria microcarpa, 142
Manduca sexta, 87, 88
Mandujano, Salvador, Variation in herd size of collared peccaries in a Mexican tropical forest, 199–204
Marisa cornuarietis, 91
Marmota flaviventris, 189
Marsh-Matthews, Edie, see Gido, Keith B., —
Maslin, Paul E., see Grant, Gerold C., and —
Masslich, William J., see Valdez, Richard A., and —
Masticophis taeniatus, 532
Matter, William J., see Dudley, Robert K., and —
Matthews, William J., see Gido, Keith B., —
McCarley, Howard, 545–546
McCarthy, Timothy J., David L. Anderson, and Gustavo A. Cruz D., Tree sloths (Mammalia: Xenarthra) in Nicaragua and Honduras, Central America, 410–414
McClure, Matthew R., and Ira F. Greenbaum, Allozymic variation and biogeography of snapping shrimp (*Alpheus*) from the Gulf of Mexico and northwestern Atlantic coasts, 462–469
McIntyre, Nancy E., Use of *Pogonomyrmex occidentalis* (Hymenoptera: Formicidae) nest-sites by tenebrionid beetles (Coleoptera: Tenebrionidae) for oviposition and thermoregulation in a temperate grassland, 379–382
McKinney, Ted, Andrew D. Ayers, and Roland S. Rogers, Macroinvertebrate drift in the tailwater of a regulated river below Glen Canyon Dam, Arizona, 205–210
McNeely, David L., The Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Monterrey, Nuevo Leon, Mexico, Wednesday, 21 April 1999, 547–552
McNeely, David L., The Southwestern Association of Naturalists minutes of the business meeting, Monterrey, Nuevo Leon, Mexico, Thursday, 22 April 1999, 553–556
Meadow invasion from high-elevation spruce-fir forest in south-central New Mexico, James M. Dyer and K. Evan Moffett, 444–456
Megalopidae 168
Megalops atlanticus, 168
Mehlhop, Patricia, see Johnson, Kristine, —
Melanism in white-tailed deer in central Texas, John T. Baccus and John C. Posey, 184–192
Melanoides tuberculata, 222
Meleagris gallopavo, 97
Meliaceae, 508
Mendoza, R., see Aguilera, C., —
Menippe, 468
Mentzelia oligosperma, 442
Messor bouvieri, 379
Micrasema, 24
Micrathene whitneyi, 311–323
Microcylloepus, 24
Micronycteris
megalotis, 232
sylvestris, 232
Micropterus salmoides, 160, 392–394
Microtus, 181
pinetorum, 407–409
Microvelia, 25
Milford, Elizabeth Remington, Ant communities in flooded and unflooded riparian forest of the middle Rio Grande, 278–286
Miller, C. Richard, see Morrell, Thomas E., —
Miller, Mark E., Use of historic aerial photography to study vegetation change in the Negrito Creek watershed, southwestern New Mexico, 121–137
Miller, Mark P., Diana N. Kimberling, and Paul Keim, Re-analysis of genetic structure among populations of *Rana pipiens* in Arizona and Utah, 527–530
Mimosa benthami, 58
Mimulus, 406
Mimus polyglottos, 486
Miridae, 508
Mitoura spinetorum, 378
Moffett, K. Evan, see Dyer, James M., and —
Molossidae, 542–543
Molossops temminckii, 326, 327
Molossus molossus, 233
Molothrus ater, 227, 486, 540
Momotidae, 508
Monarda punctata, 407, 434
Monomorium, 144
marjoriae, 459
minimum, 281
Montemayor, J., see Aguilera, C., —

Moorhead, Daryl L., see Roberson, Mary, and —
Moraceae, 508
Morelet's crocodile (*Crocodylus moreletii*) in southern Belize, distribution of, Steven G. Platt, John B. Thorbjarnarson, and Thomas R. Rainwater, 395–398
Moreno-Valdez, Arnulfo, The fringed myotis, *Myotis thysanodes* (Chiroptera: Vespertilionidae), in Tamaulipas, Mexico, 404–405
Morone saxatilis, 388–392
Morrell, Thomas E., Michael J. Rabe, James C. deVos, Jr., Heather Green, and C. Richard Miller, Bats captured in two ponderosa pine habitats in north-central Arizona, 501–506
Morrison, Michael L., see Bias, Michael A., and —
Morrison, Michael L., see Hardy, Paul C., —
Morrison, Michael L., see Smallwood, K. Shawn, and —
Morrone, Juan J., David Espinosa Organista, Claudia Aguilar Zúñiga, and Jorge Llorente Bousquets, Preliminary classification of the Mexican biogeographic provinces: a parsimony analysis of endemicity based on plant, insect, and bird taxa, 507–514
Movements and home range of salt marsh harvest mice, Michael A. Bias, and Michael L. Morrison, 348–353
Movements and reproduction of hardhead and Sacramento squawfish in a small California stream, Gerold C. Grant and Paul E. Maslin, 296–310
Muchmore, William B., and Robert B. Pape, Description of an eyeless, cavernicolous *Albiorix* (Pseudoscorpionida: Ideoroncidae) in Arizona, with observations on its biology and ecology, 138–147
Muhlenbergia, 430
  arenacea, 195
Muridae, 109–112, 194
Mus musculus, 84, 481
Muscicapidae, 508
Muth, Robert T., see Swift-Miller, Susan M., —
Mylopharodon conocephalus, 296–310
Mylopharyngodon piceus, 222
Myotis
  albescens, 326, 327
  auriculus, 501–504, 506
  californicus, 495, 497, 502–504, 506
  ciliolabrum, 502–504, 506
  evotis, 501–506
  levis, 324, 326
  lucifugus, 398, 399
  nigricans, 233, 326, 327
  occultus, 501–506
  riparius, 326
  thysanodes, 113, 398, 399, 404–405, 496, 502–506
  velifer, 414–415, 495, 497
  volans, 502–506
  yumanensis, 398, 399, 495, 497, 502–504, 506
Myrmecofauna (Hymenoptera: Formicidae) along an altitudinal gradient in the Sierra Madre Oriental of northeastern Mexico, the, Karla Y. Flores-Maldonado, Sherman A. Phillips, Jr., and Gerardo Sánchez-Ramos, 457–461

Naididae, 514–516
Nais elinguis, 515, 516
Nasturtium officionale, 43
Nathalis iole, 376–378
Native range and conservation of the White Sands pupfish (*Cyprinodon tularosa*), John S. Pittenger and Craig L. Springer, 157–165
Naucoridae, 25
Nearest neighbor relationships among theraphosid spiders in Belize, Steven B. Reichling, 518–521
Neivamyrmex
  nigrescens, 281
  opacithorax, 458, 459
Nemonychidae, 508
Neobuxbaumia, 58
Neotoma
  albigula, 189
  floridana, 408
  mexicana, 234
Nepidae, 508
Nest-reuse for the yellow-billed cuckoo in Arkansas, Jennifer K. Wilson, 538–539
North American porcupine (*Erethizon dorsatum*) in Mexico, status of the, Rurik List, Gerardo Ceballos, and Jesús Pacheco, 400–404
Nostoc, 18
Notiosorex crawfordi, 334, 336, 339, 341
Noturus
  lachneri, 522–526
  miurus, 106
  nocturnus, 106
Novomessor albisetosus, 379
Numenius americanus, 486
Núñez-Garduño, Arturo, see Sánchez-Hernández, Cornelio, —
Nyctinomops
  femorosaccus, 345
  laticaudatus, 326, 328
  macrotis, 345
Nyctomys sumichrasti, 233
Nymphalidae, 378
Nymphalis antiopa, 376–378
Nyssa sylvatica, 242
Nyssaceae, 507

O'Farrell, Thomas P., see Warrick, Gregory D., —
O'Shea, Thomas J., and Terry A. Vaughan, Population changes in bats from central Arizona: 1972 and 1997, 495–500
Oberlin, Gaye E., Joseph P. Shannon, and Dean W. Blinn, Watershed influence on the macroinvertebrate fauna of ten major tributaries of the Colorado River through Grand Canyon, Arizona, 17–30
Oberlin, Gaye E., see Wetzel, Mark J., —
Ochrotichia, 24
Ocnerodrilidae, 515, 516
Odocoileus
  hemionus, 97, 236–240, 543–544
  virginianus, 32, 97, 184–192, 199, 236, 239, 543
Oenothera
  canescens, 437
  drummondii, 265–267, 269
  macrocarpa, 436
  rhombipetala, 434
Ogilbia pearsei, 168, 171
Olneya tesota, 544
Oncorhynchus
  clarki, 153
  mykiss, 153, 205, 297, 385
Ondatra zibethicus, 190, 408
Onychomys
  leucogaster, 101–105
  torridus, 101, 104
Ophioglossum engelmannii, 442
Ophisternon
  aenigmaticum, 168, 170
  infernale, 168, 171
Opsanus beta, 168
Optioservus, 24
Opuntia
  choya, 401
  engelmannii, 535
  excelsa, 202
  polycantha, 101
Oreochromis mossambicus, 168, 169
Ortalis poliocephala, 202
Ortega-Rubio, Alfredo, Robert Barbault, and Gonzalo Halffter, Population dynamics of *Sceloporus grammicus* (Sauria: Phrynosomatidae) at Durango, Mexico, 64–72
Orthogeomys grandis, 233
Oryzomys palustris, 481
Oryzopsis hymenoides, 195
Oscillatoria, 18, 20, 23, 25, 27
Ostrya virginiana, 427
Ototylomys phyllotis, 111
Otus kennicottii, 311–323
Ovis canadensis, 354–360

Owen, James G., see Peppers, John A., —
Owen, Robert D., see Sánchez-Hernández, Cornelio, —
Ozotocerus bezoarticus, 331

Pacheco, Jesús, see List, Rurik, —
Pachycondyla villosa, 458, 459
Palafoxia callosa, 272–277
Paltothemis, 25
Panicum
amarum, 267, 268
virgatum, 429–431, 433–436, 439
Panthera onca, 96–100, 202
Paonis excaecatus, 87
Pape, Robert B., see Muchmore, William B., and —
Papilionidae, 378, 508
Pappogeomys bulleri, 178, 179
Parabuteo unicinctus, 319
Parapoynx
allionealis, 213
obscuralis, 213–214
Parietaria pennsylvanica, 11, 12, 14
Parkinsonia aculeata, 536
Parthenocissus quinquefolia, 428
Pascopyrum smithii, 425, 431, 434–438
Paspalum
monostrachyum, 265–267, 269
setaceum, 431, 432
Passerculus sandwichensis, 486
Passeriformes, 535–538
Pecari tajacu, 97, 199–204, 543–544
Peles, John D., Floyd W. Weathersbee, Jr., Paul E. Johns, Jane Griess, Dan L. Baker, and Michael H. Smith, Genetic variation in a recently isolated population of mule deer (*Odocoileus hemionus*), 236–240
Pennisetum ciliare, 535
Peppers, John A., James G. Owen, and Robert D. Bradley, The karyotype of *Peromyscus stirtoni* (Rodentia: Muridae), 109–112
Pepsis, 87
Percidae, 214–218, 470–477
Percina
pantherina, 470–477
sciera, 106
Pérez-Ponce de León, Gerardo, see Alcaraz, Guillermina, —
Perithemis, 25
Perlodidae, 24
Perognathus, 181
flavus, 101, 193, 195–197, 233
Peromyscus
attwateri, 408
furvus, 109, 110
gossypinus, 545
guatemalensis, 109
gymnotis, 109
leucopus, 408, 481, 545
maniculatus, 84, 101, 420
megalops, 109
melanurus, 109
mexicanus, 109, 111
pectoralis, 109
perfulvus, 109
stirtoni, 109–112
yucatanicus, 109
zarhynchus, 109
Peroptéryx macrotis, 231, 234
Petenia splendida, 168
Petrochelidon pyrrhonata, 414–415, 486
Petromyzontidae, 106–108
Petrophila, 24
Phalaenoptilus
nuttallii, 313
nuttalliis, 311
Phallichthys fairweatheri, 168, 170
Phasianidae, 508
Pheidole, 459
pinealis, 278, 280, 281
Philips, R. Brand, see Garcelon, David K., —
Phillips, Sherman A., Jr., see Flores-Maldonado, Karla Y., —
Philopotamidae, 24
Phoebe porphyria, 326
Phragmites, 160
australis, 535
Phrynosomatidae, 57–63, 64–72
Phycíodes
pratensis, 376, 378
tharos, 375
Phycoides pratensis, 377
Phyla cuneifolia, 437
Phyllostomus hastatus, 411
Physalis, 87
cinerascens, 267
Picea englemannii, 444–456
Picidae, 508
Pieridae, 378, 508
Pimelodidae, 168
Pinephales promelas, 46, 392–394
Pinaceae, 507
Pinus, 65
cembroides, 1
edulis, 122, 127, 149
engelmanni, 341
leiophylla, 337
montezumae, 405
palustris, 242
patula, 405
ponderosa, 88, 121, 122, 149, 375, 449, 501–506, 542
strobiformis, 122, 446
teocote, 458
Piper amalago, 458
Pipistrellus
hesperus, 345, 495, 497
subflavus, 241
Piruna polingii, 377, 378
Pithecellobium
dulce, 58
pallens, 458
Pittenger, John S., and Craig L. Springer, Native range and conservation of the White Sands pupfish (*Cyprinodon tularosa*), 157–165
Pituophis
catenifer, 532
melanoleucus, 532
Plantago
patagonica, 403
rhodosperma, 12
Platanus
mexicana, 458
occidentalis, 428, 429
wrightii, 337, 401, 403
Platt, Steven G., John B. Thorbjarnarson, and Thomas R. Rainwater, Distribution of Morelet's crocodile (*Crocodylus moreletii*) in southern Belize, 395–398
Plebejus icarioides, 375
Poa arida, 437
Poaceae, 213–214
Poanes taxiles, 376–378
Poecilia
mexicana, 168
orri, 168
petenensis, 168, 170
velifera, 168, 170
Poeciliidae, 168
Pogonomyrmex
barbatus, 379
occidentalis, 102, 281, 379–382, 382–384
Pogonomyrmex occidentalis (Hymenoptera: Formicidae) nest-sites by tenebrionid beetles (Coleoptera: Tenebrionidae) for oviposition and thermoregulation in a temperate grassland, use of, Nancy E. McIntyre, 379–382
Poliomintha incana, 195
Polites themistocles, 376–378
Polycentropodidae, 24
Polygala
alba, 266
verticillata, 436
Polygonia zephyrus, 376–378
Polygonum, 438
bicorne, 438, 440, 443
Polyplectropus, 24
Pontia protodice, 378
Pooecetes gramineus, 486
Population changes in bats from central Arizona: 1972 and 1997, Thomas J. O'Shea and Terry A. Vaughan, 495–500
Population dynamics of *Sceloporus grammicus* (Sauria: Phrynosomatidae) at Durango, Mexico, Alfredo Ortega-Rubio, Robert Barbault, and Gonzalo Halffter, 64–72
Population of white-collared seedeaters, *Sporophila torqueola* (Passeriformes: Emberizidae) along the Rio Grande of Texas, discovery of a second, Marc C. Woodin, Mary K.

Skoruppa, Gene W. Blacklock, and Graham C. Hickman, 535–538
Populus, 312, 341, 343, 345, 458
angustifolia, 123
deltoides, 256–260, 278, 279, 399, 428–430, 431
fremontii, 226
tremuloides, 375, 405, 502
Posey, John C., see Baccus, John T., and —
Potamogeton, 43, 213, 443, 515
Power, Paula, see Fries, Joe N., and —
Predation by nonnative fish on native fishes in the San Juan River, New Mexico and Utah, W. Howard Brandenburg and Keith B. Gido, 392–394
Prionopsis ciliata, 431, 432
Pristina, 515, 516
Pristinella jenkinae, 515, 516
Prosopis, 12, 311, 312, 342, 479
glandulosa, 7, 401, 535
velutina, 543
Proteocephalus, 523, 524
Prunus
angustifolia, 407, 434, 436
serotina, 33, 427
Pselaphidae, 508
Pseudoscorpionida, 138–147
Pseudosinella violento, 143
Pseudotsuga
macrocarpa, 375
menzesii, 341
menziesii, 122, 446
Psittacidae, 508
Psoralea argophylla, 437
Psoralidium tenuiflorum, 433, 434, 437
Psychomyiidae, 24
Psyllipsocus ramburii, 143, 144, 146
Pteronotus parnellii, 113
Pteronura brasiliensis, 331
Pterourus
multicaudatus, 378
rutulus, 378
Ptychocheilus
grandis, 296–310
lucius, 302, 384, 388, 393
oregonensis, 307
Puma concolor, 97, 202, 328, 358, 490–494
Pyralidae, 24, 155, 213–214
Pyrgus communis, 378

Quercus, 11, 12, 65, 242, 341, 479, 491
alba, 427
arizonica, 1, 337
bicolor, 429
buckleyi, 31–41
emoryi, 1–5, 401, 403
fusiformis, 31–41
gambelii, 375, 376, 502
glaucoides, 458
hypoleucoides, 337
laurina, 458
lyrata, 538
macrocarpa, 427, 429–431
marilandica, 407, 409, 428, 430, 441
muehlenbergii, 430
nuttallii, 538
palustris, 428
polymorpha, 405
polymorphay, 458
prinoides, 428, 430
pungens, 7
rubra, 427, 429
rysophylla, 405
sartorii, 458
shumardii, 428, 429
stellata, 33, 428, 430, 441
velutina, 427, 428
virginiana, 7
Quiscalus quiscula, 486
Quistadrilus multisetosus, 515, 516

Rabe, Michael J., see Morrell, Thomas E., —
Rabinowitz, Alan R., The present status of jaguars (*Panthera onca*) in the southwestern United States, 96–100
Rainwater, Thomas R., see Platt, Steven G., —
Rana
pipiens, 527–530
yavapaiensis, 527, 528
Randia, 458
Ranunculus repens, 91
Rarity of oak saplings in savannas and woodlands of the eastern Edwards Plateau, Texas, F. Leland Russell and Norma L. Fowler, 31–41
Ratibida
columnifera, 435–437
pinnata, 433
Rattus rattus, 190
Red shiner (*Cyprinella lutrensis*) on Red River pupfish (*Cyprinodon rubrofluviatilis*), effects of, Keith B. Gido, Jacob F. Schaefer, Kirsten Work, Philip W. Lienesch, Edie Marsh-Matthews, and William J. Matthews, 287–295
Reichling, Steven B., Nearest neighbor relationships among theraphosid spiders in Belize, 518–521
Reithrodon auritus, 324, 331
Reithrodontomys
fulvescens, 408, 409
montanus, 101
raviventris, 348–353
Reproduction by humpback chub in a warm spring of the Colorado River in Grand Canyon, Arizona, evidence of, Richard A. Valdez and William J. Masslich, 384–387
Reproduction in Gadow's spiny lizard, *Sceloporus gadovae* (Phrynosomatidae), from arid tropical Mexico, Julio A. Lemos-Espinal, Geoffrey R. Smith, and Royce E. Ballinger, 57–63
Reproduction in the desert massasauga, *Sistrurus catenatus edwardsii*, in Arizona and Colorado, Stephen R. Goldberg and Andrew T. Holycross, 531–535
Reproductive failure of endangered southwestern willow flycatchers on the Rio Grande, New Mexico, Kristine Johnson, Patricia Mehlhop, Charles Black, and Kim Score, 226–231
Respiratory responses of grass carp, *Ctenopharyngodon idella* (Cyprinidae) to parasitic infection by *Centrocestus formosanus* (Digenea), Guillermina Alcaraz, Gerardo Pérez-Ponce de León, Luis Garcia P., Virginia León-Règagnon, and Cecilia Vanegas, 222–226
Rhagovelia, 25
Rhamdia guatemalensis, 168
Rhamnus, 406
Rhinichthys
cataractae, 152
osculus, 297, 384, 388, 391, 393
Rhus, 337, 341
aromatica, 407, 432
copallina, 428
glabra, 428, 436
trilobata, 382
Rhyacophila, 24
Rhyacophilidae, 24
Rhynchophion flammipennis, 87–88
Rhynchospora colorata, 262, 266
Ribes cereum, 502
Richardson, Linda R., and John R. Gold, Systematics of the *Cyprinella lutrensis* group (Cyprinidae) from the southwestern United States as inferred from variation of mitochondrial DNA, 49–56
Ritzi, Christopher M., Utilization of cliff swallow (*Petrochelidon pyrrhonata*) nests in West Texas by cave myotis (*Myotis velifer*), 414–415
Rivulus tenuis, 168, 170
Roberson, Mary, and Daryl L. Moorhead, Consumption of three garden plants in West Texas by *Helix aspersa*, 90–93
Roberson, Mary, and Daryl L. Moorhead, Growth patterns and morphological features of juvenile *Helix aspersa* from West Texas, 93–96
Robinia, 341
neomexicana, 502
Rodentia, 109–112, 240–241
Roemer, Gary W., see Garcelon, David K., —
Rogers, Roland S., see McKinney, Ted, —

Rogowski, David L., see Lance, Richard F., and —
Romero, Marjorie, see Solorzano, Alejandro, —
Roméro-Almaraz, María de Lourdes, see Sánchez-Hernández, Cornelio, —
Root, J. Jeffrey, Eric E. Jorgensen, and Stephen Demarais, Effects of a habitat boundary on small mammals associated with the White Sands dune complex, 193–198
Rorippa sinuata, 437, 443
Rosa arizonica, 502
Route, Bill, see Harveson, Louis A., —
Rubus, 406
  strigosus, 375
Rudbeckia
  lacinata, 375
  missouriensis, 442
Rumex crispus, 34
Russell, F. Leland, and Norma L. Fowler, Rarity of oak saplings in savannas and woodlands of the eastern Edwards Plateau, Texas, 31–41

Sabatia campestris, 435
Sagittaria
  latifolia, 440, 443
  longiloba, 440
Salicornia
  bigelovii, 267, 268
  rubra, 438
  virginica, 348
Salix, 149, 279, 312, 399
  amygdaloides, 430, 432
  eriocephala, 429
  exigua, 226, 430, 432, 439
  gooddingii, 226
  humboldtiana, 458
  humilis, 433
  lasiolepis, 405
  nigra, 428–430, 432, 535
Salmo trutta, 153, 386
Salvelinus fontinalis, 46
Sánchez, Oscar, Jorge A. Vargas, and William López-Forment, Observations of bats during a total solar eclipse in Mexico, 112–115
Sánchez-Hernández, Cornelio, María de Lourdes Roméro-Almaraz, Robert D. Owen, Arturo Núñez-Garduño, and Ricardo López-Wilchis, Noteworthy records of mammals from Michoacán, México, 231–235
Sánchez-Ramos, Gerardo, see Flores-Maldonado, Karla Y., —
Sapindus saponaria, 436
Sapindy saponaria, 458
Sargassum, 263
Sasa, Mahmood, see Solorzano, Alejandro, —
Sassafras albidum, 427, 441
Satyridae, 378
Sauria, 64–72
Saxifraga texana, 442
Sayornis
  nigricans, 540
  phoebe, 540
  saya, 540–542
Scarabeidae, 508
Sceloporus
  gadovae, 57–63
  graciosus, 60, 61
  grammicus, 64–72
  merriami, 60, 61
  occidentalis, 61
  orcutti, 61
  scalaris, 61
  undulatus, 60, 61
  variabilis, 60
  virgatus, 60, 61
  woodi, 61
Schaefer, Jacob F., see Gido, Keith B., —
Schizachyrium scoparium, 262, 265–269, 425, 428–436, 441, 442
Schmitter-Soto, Juan J., Distribution of continental fishes in northern Quintana Roo, Mexico, 166–172
Schneider, Rick, see Lauver, Chris L., —
Schnell, Gary D., see Haner, Thomas W., —
Schoenoplectus, 443
  acutus, 440
  pungens, 434
  tabernaemontani, 440
Scirpus, 432, 443
  americanus, 440
  atrovirens, 439
  maritimus, 438
  pungens, 262, 265, 266, 268, 439, 440
  validus, 439, 441
Sciurus
  aberti, 88–89
  carolinensis, 189
Scleria triglomerata, 434
Score, Kim, see Johnson, Kristine, —
Scrivner, Jerry H., see Warrick, Gregory D., —
Seastedt, T. R., see Simons, Stacey B., and —
Sedum
  nuttallianum, 442
  pulchellum, 442
Seira, 143
Serpentes, 478–483
Sesarma reticulatum, 468
Sesuvium portulacastrum, 262–264, 268
Shannon, Joseph P., see Oberlin, Gaye E., —
Shaw, James H., see Barko, Valerie A., —
Shoen, Steven M., see Stangl, Frederick B., Jr., —
Sigmodon hispidus, 111, 408, 480
Silvius, 24
Silver-haired bat (*Lasionycteris noctivagans*) in Louisisana, noteworthy record of the, Richard F. Lance and David L. Rogowski, 241–242
Silvy, Nova J., see Harveson, Louis A., —
Simons, Lee H., and William E. Van Pelt, Occurrence of *Sorex arizonae* and other shrews (Insectivora) in southern Arizona, 334–342
Simons, Stacey B., and T. R. Seastedt, Decomposition and nitrogen release from foliage of cottonwood (*Populus deltoides*) and Russian-olive (*Elaeagnus angustifolia*) in a riparian ecosystem, 256–260
Simulation modeling of population viability for the leopard darter (Percidae: *Percina pantherina*), Lance R. Williams, Anthony A. Echelle, Conrad S. Toepfer, Marsha G. Williams, and William L. Fisher, 470–477
Simuliidae, 155
Sistrurus catenatus, 531–535
Size and habitat characteristics of home ranges of northern grasshopper mice (*Onychomys leucogaster*), Paul Stapp, 101–105
Skoruppa, Mary K., see Woodin, Marc C., —
Smallwood, K. Shawn, and Michael L. Morrison, Estimating burrow volume and excavation rate of pocket gophers (Geomyidae), 173–183
Smallwood, K. Shawn, and Michael L. Morrison, Spatial scaling of pocket gopher (Geomyidae) density, 73–82
Smeins, Fred E., see Yager, Lisa Y., and —
Smith, Geoffrey R., see Lemos-Espinal, Julio A., —
Smith, Michael H., see Peles, John D., —
Solenopsis
  geminata, 459
  krockowi, 281
Solidago
  missouriensis, 436
  sempervirens, 266, 268
Solorzano, Alejandro, Marjorie Romero, José María Gutierrez, and Mahmood Sasa, Venom composition and diet of the cantil *Agkistrodon bilineatus howardgloydi* (Serpentes: Viperidae), 478–483
Sophora, 9–11, 13
  secundiflora, 6, 8, 12
Sorex
  arizonae, 334–342
  merriami, 339
  monticolus, 334–338, 341
  trowbridgii, 339

Sorex arizonae and other shrews (Insectivora) in southern Arizona, occurrence of, Lee H. Simons and William E. Van Pelt, 334–342
Sorghastrum nutans, 429, 430, 433–435
Southwestern Association of Naturalists minutes of the business meeting, Monterrey, Nuevo Leon, Mexico, Thursday, 22 April 1999, the, David L. McNeely, 553–556
Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Monterrey, Nuevo Leon, Mexico, Wednesday, 21 April 1999, the, David L. McNeely, 547–552
Sowka, Patricia A., Occurrence of two species of freshwater sponges (*Dosilia radiospiculata and Ephydatia muelleri*) in Arizona, 211–212
Sparganium, 439
Spartina
patens, 262, 266, 267
pectinata, 429, 430, 439
Spatial scaling of pocket gopher (Geomyidae) density, K. Shawn Smallwood and Michael L. Morrison, 73–82
Spermophilus, 181
spilosoma, 194, 195, 196
tridecemlineatus, 101
Speyeria atlantis, 375, 378
Sphagnum, 441
Sphingidae, 87
Sphoeroides
spengleri, 169
testudineus, 169
Sphyraena barracuda, 169
Sphyraenidae, 169
Spilogale pygmaea, 234
Spinitectus carolini, 523, 524
Spondias purpurea, 202
Sporobolous
airoides, 195
cryptandrus, 195
flexuosus, 195
Sporobolus
airoides, 437
asper, 433
cryptandrus, 434, 436
vaginiflorus, 436
virginicus, 267
Sporophila torqueola, 535–538
Springer, Craig L., see Pittenger, John S., and —
Spryeria atlantis, 376, 377
Stafford, Angela D., see Hager, Stephen B., and —
Stahlecker, Dale W., Wide disparity in age of nestlings in a Say's phoebe nest from New Mexico, 540–542
Stangl, Frederick B., Jr., Gregory F. Birkenfeld, and Steven M. Shoen, First record of the California kangaroo rat, *Dipodomys californicus* (Rodentia: Heteromyidae), from Nevada, 240–241
Stanleya pinnata, 436, 442
Staphylea trifolia, 427
Staphylinidae, 508
Stapp, Paul, Size and habitat characteristics of home ranges of northern grasshopper mice (*Onychomys leucogaster*), 101–105
Stern, Sharon Maynard, and Denton Belk, Confirmation of *Branchinecta paludosa* (Crustacea, Anostraca) in Utah, 212–213
Stipa
comata, 436
leuchotricha, 12
leucotricha, 11, 14
spartea, 429, 434
Stizostedion vitreum, 390
Stratiomyidae, 24
Strigidae, 508
Striped bass in the Colorado River in Grand Canyon, Arizona, captures of, Richard A. Valdez and William C. Leibfried, 388–392
Strongylura notata, 168
Stuart, James N., see Valdez, Ernest W., —
Sturnella neglecta, 486
Sturnidae, 508
Sturnira, 233
erythromos, 327
lilium, 327
oporaphilum, 327
Sturnus vulgaris, 312
Styrmon melinus, 378
Suaeda
depressa, 438, 439
linearis, 267, 268
Swift-Miller, Susan M., Brett M. Johnson, and Robert T. Muth, Factors affecting the diet and abundance of northern populations of Rio Grande sucker (*Catostomus plebeius*), 148–156
Swift-Miller, Susan M., Brett M. Johnson, Robert T. Muth, and David Langlois, Distribution, abundance, and habitat use of Rio Grande sucker (*Catostomus plebeius*) in Hot Creek, Colorado, 42–48
Sylvilagus aquaticus, 408
Symphoricarpos occidentalis, 436
Symphoricarpus orbiculatus, 407
Synalpheus, 462
Synbranchidae, 168
Systematics of the *Cyprinella lutrensis* group (Cyprinidae) from the southwestern United States as inferred from variation of mitochondrial DNA, Linda R. Richardson and John R. Gold, 49–56
Tabanidae, 24
Tabanus, 24
Tadarida brasiliensis, 326, 327, 345, 398, 405, 414, 415, 495, 497, 502–504, 506, 542–543
Talinum parviflorum, 442
Tamarix, 149
chinensis, 226, 278, 279
Tapinoma sessile, 278, 280–283
Taxidea taxus, 181
Taxodium distichum, 242
Taylor, Christopher M., see Fiorillo, Riccardo A., —
Teleostei, 214–218
Tenebrionidae, 379–382
Terranella, Anthony C., Lisa Ganz, and James J. Ebersole, Western harvester ants prefer nest sites near roads and trails, 382–384
Tetraodontidae, 169
Tewes, Michael E., see Harveson, Louis A., —
Thamnophis, 481
Theaceae, 508
Theraphosidae, 518
Therrien, James P., Genetic diversity in two rare milkweeds from the southwestern United States, 247–255
Thibault, Katherine M., see Adams, Rick A., and —
Thinning of Emory oak coppice: effects on growth, yield, and harvesting cycles, Ramzi Touchan and Peter F. Ffolliott, 1–5
Thomas, R. Brent, see Fiorillo, Riccardo A., —
Thomomys
bottae, 74, 76, 175, 176, 178–181
mazama, 77
monticola, 175, 177, 180, 181
talpoides, 74–76, 102, 105, 174–176, 178–181
Thorbjarnarson, John B., see Platt, Steven G., —
Thorichthys meeki, 168
Thorybes mexicanus, 376–378
Thyreodon
flammipennis, 87
mori, 87
Tilia americana, 427
Tinodes, 24
Tipula, 24
Tipulidae, 24
Tiquilia hispidissima, 195
Toepfer, Conrad S., see Williams, Lance R., —
Tonatia bidens, 327
Touchan, Ramzi, and Peter F. Ffolliott, Thinning of Emory oak coppice: effects on growth, yield, and harvesting cycles, 1–5
Towne, E. Gene, Bison performance

and productivity on tallgrass prairie, 361–366
Toxicodendron
radicans, 407, 428
rydbergii, 432
Toxostoma curvirostre, 486
Trachymyrmex turrifex, 458, 459
Tradescantia
occidentalis, 433
tharpii, 433
Tragia ramosa, 12
Trail marking by coyotes, *Canis latrans*, Bayard H. Brattstrom, 405–406
Tree sloths (Mammalia: Xenarthra) in Nicaragua and Honduras, Central America, Timothy J. McCarthy, David L. Anderson, and Gustavo A. Cruz D., 410–414
Trends in populations of mountain lion in Carlsbad Caverns and Guadalupe Mountains national parks, Louis A. Harveson, Bill Route, Fred Armstrong, Nova J. Silvy, and Michael E. Tewes, 490–494
Tricorythidae, 24
Tricorythodes, 24
Tridens, 1
Trifolium repens, 90, 91
Trinectes inscriptus, 169
Trochilidae, 508
Trogonidae, 508
Tubifex rubifex, 515, 516
Tubificidae, 514–516
Tull, John C., see Krausman, Paul R., —
Tumlison, Creed, see Tumlison, Renn, and —
Tumlison, Renn, and Creed Tumlison, An extralimital population of *Lampetra appendix* (Petromyzontidae) in southwestern Arkansas, 106–108
Tuttle, James, see Kester, Karen, and —
Typha, 343, 345, 399, 439, 443
angustifolia, 440, 441
domingensis, 440
latifolia, 439–441
Typhloroncus, 141
Tyrannidae, 508
Tyrannus
tyrannus, 486
verticalis, 486, 539
vociferans, 486
Tyto alba, 313

Ulmus, 430
americana, 427–429
crassifolia, 33
Uniola paniculata, 262–268
Urocyon littoralis, 83–86
Urolophidae, 168
Urolophus jamaicensis, 168
Uromastix acanthinurus, 68
Urtica dioica, 91, 92
Uvulifer amplophitis, 222

Vaccinium arboreum, 427, 441
Valdez, Ernest W., James N. Stuart, and Michael A. Bogan, Additional records of bats from the middle Rio Grande Valley, New Mexico, 398–400
Valdez, Richard A., and William C. Leibfried, Captures of striped bass in the Colorado River in Grand Canyon, Arizona, 388–392
Valdez, Richard A., and William J. Masslich, Evidence of reproduction by humpback chub in a warm spring of the Colorado River in Grand Canyon, Arizona, 384–387
Van Auken, O. W., see Baskin, Carol C., —
Van Pelt, William E., see Simons, Lee H., and —
Vanegas, Cecilia, see Alcaraz, Guillermina, —
Vanessa
annebella, 377, 378
cardui, 376–378
virginiensis, 378
Vargas, Jorge A., see Sánchez, Oscar, —
Variation in herd size of collared peccaries in a Mexican tropical forest, Salvador Mandujano, 199–204
Varichaetadrilus angustipenis, 515, 516
Vaughan, Terry A., see O'Shea, Thomas J., and —
Vauquelinia californica, 142
Vegetative change on South Padre Island, Texas, over twenty years and evaluation of multispectral videography in determining vegetative cover and species identity, Robert I. Lonard, Frank W. Judd, James H. Everitt, David E. Escobar, Mario A. Alaniz, Isabel Cavazos, III, and M. R. Davis, 261–271
Veliidae, 25
Venom composition and diet of the cantil *Agkistrodon bilineatus howardgloydi* (Serpentes: Viperidae), Alejandro Solorzano, Marjorie Romero, José Maria Gutierrez, and Mahmood Sasa, 478–483
Verbena bipinnatifida, 12, 14
Vernonia baldwinii, 407
Vespertilionidae, 343–347, 404–405, 554
Viburnum
prunifolium, 427
rufidulum, 427
Viola
canadensis, 375
sagittata, 435
Viperidae, 478–483
Vitis arizonica, 342
Vochysiaceae, 508
Vulpes
macrotis, 85, 367–374
velox, 85
vulpes, 85, 189, 373

Warren, Melvin L., Jr., see Fiorillo, Riccardo A., —
Warrick, Gregory D., Jerry H. Scrivner, and Thomas P. O'Farrell, Demographic responses of kit foxes to supplemental feeding, 367–374
Watershed influence on the macroinvertebrate fauna of ten major tributaries of the Colorado River through Grand Canyon, Arizona, Gaye E. Oberlin, Joseph P. Shannon, and Dean W. Blinn, 17–30
Weathersbee, Floyd W., Jr., see Peles, John D., —
Western harvester ants prefer nest sites near roads and trails, Anthony C. Terranella, Lisa Ganz, and James J. Ebersole, 382–384
Wetzel, Mark J., Gaye E. Oberlin, and Dean W. Blinn, The aquatic oligochaeta (Annelida: Clitellata) of Montezuma Well, Arizona: a near thermally constant limnocrene, 514–518
Wide disparity in age of nestlings in a Say's phoebe nest from New Mexico, Dale W. Stahlecker, 540–542
Williams, Lance R., Anthony A. Echelle, Conrad S. Toepfer, Marsha G. Williams, and William L. Fisher, Simulation modeling of population viability for the leopard darter (Percidae: *Percina pantherina*), 470–477
Williams, Marsha G., see Williams, Lance R., —
Wilson, Jennifer K., Nest-reuse for the yellow-billed cuckoo in Arkansas, 538–539
Woodin, Marc C., Mary K. Skoruppa, Gene W. Blacklock, and Graham C. Hickman, Discovery of a second population of white-collared seed-eaters, *Sporophila torqueola* (Passeriformes: Emberizidae) along the Rio Grande of Texas, 535–538
Woodland vole (*Microtus pinetorum*) and two other species in northwestern Oklahoma, range extensions of the, Thomas W. Haner, Ronald W. Farrar, and Gary D. Schnell, 407–409
Work, Kirsten, see Gido, Keith B., —

Xantusia riversiana, 84
Xenarthra, 410–414
Xyrauchen texanus, 384, 388, 393

Yager, Lisa Y., and Fred E. Smeins, Ashe juniper (*Juniperus ashei*: Cupressa-

ceae) canopy and litter effects on understory vegetation in a juniper-oak savanna, 6–16
Yersinia pestis, 484
Yucca
elata, 195
glauca, 382, 431, 432, 437
Zaedyus pichiy, 331
Zebrina pendula, 90, 92
Zenaida macroura, 486
Zerene cesonia, 378
Zestusa dorus, 376, 378
Zizania texana, 213–214
Ziziphus obtusifolia, 535